EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	5865	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L4	4542	370/389.ccls. and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L5	1644	370/389.ccls. and rout$3 and identif$6 and deci$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L6	313	370/389.ccls. and rout$3 and identif$6 and deci$4 and sort$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L7	249	370/389.ccls. and rout$3 and identif$6 and deci$4 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L8	87	virtual adj3 rout$3 and identif$6 and classif$6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L9	5157	rout$3 and identif$6 and classif $6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L10	127	rout$3 and (identif$6 with (packet adj2 type)) and classif $6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L11	19	(identif$6 with (packet adj2 type)) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L12	5287	(identif$6 with (packet near4 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L13	3760	(identif$6 with (packet near4 type)) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L14	453	(identif$6 with (packet near4 type)) and rout$3 and ((create or attach or add) near4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L15	11471	cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L16	42	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L17	42	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L18	15	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header) and IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L19	41	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L20	1498	(extract$3 or read$3) with header and (determin$5 or identif$6) with (packet near3 type) and (sort$3 wit header) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L21	990	L20 and (@ad< = "20020917" or @rlad< = "20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L22	10	(US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did.	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L23	2	L22 and IPv6 and IPv4	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L24	7	L22 and packet adj2 type	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L25	2	L22 and sort$3	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L26	2	"7012890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L27	9	("7012890").URPN.	USPAT	OR	ON	2008/12/18 13:13
L28	4	("20030002438" | "20030043802" | "5809012" | "6788683").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 13:13
L29	14	(US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did. and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13

L30	13	((US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did.) and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L31	1	"5434863".pn.	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L32	151	rout$3 and identif$6 and classif$6 and sort$3 and (add adj2 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L33	99	L32 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L34	196	rout$3 and (identif$6 or extract$3 or filter$3) and sort$3 and (add adj2 header) and (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L35	118	L34 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L36	3332	(create or add) same header same (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L37	88	(create or add) same header same (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L38	86	(create or add) same header same (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L39	39	(create or add) near5 header same (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L40	84	(creat$3 or add$3) near5 header same (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L41	0	(create or add) near5 (header same ((based or according) near5(packet near L28 type))) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L42	1	(create or add) near5 header same ((based or according) near5(packet near L28 type)) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L43	33	(create or add) near5 header same ((based or according) near5(packet near L28 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L44	13237	(create or add or attach) with header and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L45	66	((create or add or attach) with (internal adj2 header)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L46	0	((create or add or attach) with ((internal adj2 header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L47	28	((create or add or attach) with ((header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L48	2250	((creat$3 or add$3 or attach$3) with header) with (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L49	538	((creat$3 or add$3 or attach$3) with header) with (packet near L28 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L50	93	((creat$3 or add$3 or attach$3) with header) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L51	189	((creat$3 or add$3 or attach$3) with header) and (packet near3 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L52	875	header adj2 generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L53	589	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L54	278	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L55	117	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3 and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L56	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3 and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L57	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L58	163	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L59	1	((header adj2 generator) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L60	2320	(header with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L61	1605	(header with discard$3)and (@ad< ="20020917" or @rlad< ="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L62	7	((internal adj2 header) with discard$3)and (@ad< ="20020917" or @rlad< ="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L63	7	((internal adj2 header) with discard$3)and (@ad< ="20020917" or @rlad< ="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L64	12	((added adj2 header) with discard$3)and (@ad< ="20020917" or @rlad< ="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L65	8	"090285".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L66	2	"6628653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L67	16	(US-20060209840-$ or US-20040039986-$ or US-20020012348-$ or US-20010028650-$ or US-20040185889-$ or US-20030002438-$ or US-20020009079-$ or US-20060114924-$ or US-20030002506-$ or US-20040228274-$ or US-20030081546-$ or US-20020073215-$ or US-20020141403-$ or US-20060251048-$ or US-20050190713-$ or US-20040052260-$).did. or (US-6865185-$ or US-7177276-$ or US-6628653-$).did.	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L68	9	L67 and packet adj type	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L69	8	packet adj type with (prescribed fixed) adj2 position	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13

L70	20	(US-20060209840-$ or US-20040039986-$ or US-20020012348-$ or US-20010028650-$ or US-20040185889-$ or US-20030002438-$ or US-20020009079-$ or US-20060114924-$ or US-20030002506-$ or US-20040228274-$ or US-20030081546-$ or US-20020073215-$ or US-20020141403-$ or US-20060251048-$ or US-20050190713-$ or US-20040052260-$ or US-20050086353-$).did. or (US-6865185-$ or US-7177276-$ or US-6628653-$).did.	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L71	14	L70 and packet near3 (length size)	US-PGPUB; USPAT	OR	ON	2008/12/18 13:13
L72	1912	(packet adj type) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L73	25	(packet adj type) with field with (look$3 search$3 idntify$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L74	12	L73 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L75	43	(identif$6 search$3 look$3) with (packet adj2 type) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L76	165	(packet adj2 type) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L77	60	L76 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L78	2790	(identif$6 search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L79	2	(continu$3) with (search$3 look $3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L80	2	(continu$3 loop$3) with (search $3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L81	3	(continu$3 loop$3 keep$3) with (search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L82	196	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L83	1	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with (different another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L84	7	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with (different another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L85	4	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with tag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L86	2348	(search$3 look$3) with first near3 (field position) with (second another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L87	21	L86 and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L88	180	L86 and ("370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L89	122	L88 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L90	782	(tagged untagged) and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L91	300	L78 and L90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L92	240	L91 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L93	184	L92 and ("370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L94	8	(search$3 look$3) with (packet adj2 type) with (first second another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L95	12868	(search$3 look$3) with (one first second another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L96	0	(search$3 look$3) with (one first second another) with field with "not" with found	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L97	544	(search$3 look$3) with (one first second another) with field with found	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L98	374	L97 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L99	60	L98 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L100	2	L98 and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L101	31	(identif$6 search$3 look$3) with (packet adj2 type) with (IPv6 and IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L102	4	L101 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L103	3	(packet adj2 type) with (tagged and untagged)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L104	30	(search$3 look$3) with (one first second another) with (field position) with found with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L105	13	L104 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L106	102709	"not" near3 found with (look$3 search$3) with another (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L107	0	("not" near3 found)with (look $3 search$3) with another with (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L108	0	("not" near3 type)with (look$3 search$3) with another with (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L109	0	("not" near3 type) with (look$3 search$3) with another with (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L110	0	type with (look$3 search$3) with another with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L111	23	type with (look$3 search$3) with (another other) with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L112	10	parameter with (look$3 search $3) with (another other) with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L113	1560	(determin$3) with packet adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L114	943	L113 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L115	448	L114 and (ANOTHER DIFFERENT second) with (field position byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L116	51	L115 and different adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L117	0	"2000610071028".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L118	1	(tabu near3 toshiyuki).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L119	998	(IPv4 IPv6).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L120	294	L119 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L121	49	((IPv4 IPv6) and tag$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L122	14	L121 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L123	1	tagged adj (IPv4 IPv6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L124	0	(tagged adj (IPv4 IPv6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L125	25	(tag with (IPv4 IPv6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L126	6	L125 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L127	7	(packet with identif$7 with (portion field) with (tag$4) with (ipv4) with (ipv6)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L128	0	L127 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L129	189	((tag$5) with packet with (field position)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L130	7	L127 and L129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L131	0	L130 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L132	0	((tag$5) with packet with (field position) with lentgth).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L133	79	(identifi$6) with rout$3 with (ipv4 and ipv6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13

L134	36	L133 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L135	15	((tag$5 untag$5) with (ipv4 and ipv6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L136	3	L135 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L137	20	((tag$5 untag$5) with (ipv4 ipv6) with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L138	5	L137 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L139	69	((tag$5 untag$5) same (ipv4 ipv6) same length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
L140	24	L139 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 13:13
S2	4388	370/389.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:02
S3	3408	370/389.ccls. and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:03
S4	1258	370/389.ccls. and rout$3 and identif$6 and deci$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:04
S5	241	370/389.ccls. and rout$3 and identif$6 and deci$4 and sort$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/24 08:05

S6	188	370/389.ccls. and rout$3 and identif$6 and deci$4 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:28
S7	64	virtual adj3 rout$3 and identif$6 and classif$6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:33
S8	3876	rout$3 and identif$6 and classif$6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:01
S9	105	rout$3 and (identif$6 with (packet adj2 type)) and classif$6 and sort$3 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:52
S10	11	(identif$6 with (packet adj2 type)) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:56
S11	4039	(identif$6 with (packet near4 type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:57
S12	2865	(identif$6 with (packet near4 type)) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 09:57
S13	325	(identif$6 with (packet near4 type)) and rout$3 and ((create or attach or add) near4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:14
S15	7509	cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:15
S16	30	cisco.as. and (extract$3 or read$3) with header and (determin$5 or identif$6) with (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:55
S17	30	cisco.as. and (extract$3 or read$3) with header and (determin$5 or identif$6) with (packet near3 type) and (sort$3 wit header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 12:59

S18	11	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header) and IPv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:06
S19	30	cisco.as. and (extract$3 or read $3) with header and (determin $5 or identif$6) with (packet near3 type) and (sort$3 wit header) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:07
S20	1168	(extract$3 or read$3) with header and (determin$5 or identif$6) with (packet near3 type) and (sort$3 wit header) and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/25 13:07
S22	878	S20 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:02
S23	14	(US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did.	US-PGPUB; USPAT	OR	ON	2007/04/26 08:54
S24	4	S23 and IPv6 and IPv4	US-PGPUB; USPAT	OR	ON	2007/04/25 15:16
S25	10	S23 and packet adj2 type	US-PGPUB; USPAT	OR	ON	2007/04/25 15:35
S27	2	S23 and sort$3	US-PGPUB; USPAT	OR	ON	2007/04/25 15:36
S28	2	"7012890".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 07:35
S29	1	("7012890").URPN.	USPAT	OR	ON	2007/04/26 07:36
S30	4	("20030002438" | "20030043802" | "5809012" | "6788683").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/26 07:37

S31	14	(US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did. and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2007/04/26 09:00
S33	13	((US-20040052260-$ or US-20020009079-$ or US-20060251048-$ or US-20060114924-$ or US-20040228274-$ or US-20040185889-$ or US-20060209840-$ or US-20040039986-$ or US-20030002506-$ or US-20030002438-$ or US-20020073215-$ or US-20010028650-$).did. or (US-6865185-$ or US-7177276-$).did.) and (packet near2 type)	US-PGPUB; USPAT	OR	ON	2007/04/26 10:30
S34	1	"5434863".pn.	US-PGPUB; USPAT	OR	ON	2007/04/26 10:31
S35	121	rout$3 and identif$6 and classif$6 and sort$3 and (add adj2 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:15
S36	91	S35 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:18
S37	145	rout$3 and (identif$6 or extract $3 or filter$3) and sort$3 and (add adj2 header) and (packet near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 11:17
S38	103	S37 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:11
S39	2948	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:05

S41	72	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:03
S42	70	(create or add) same header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:15
S43	31	(create or add) near5 header same (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:35
S44	67	(creat$3 or add$3) near5 header same (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:20
S45	0	(create or add) near5 (header same ((based or according) near5(packet near S30 type))) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:37
S46	1	(create or add) near5 header same ((based or according) near5(packet near S30 type)) and (@ad<="20020917" or @rlad<="20020917") and IPv4 and Ipv6 and rout$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:39
S47	26	(create or add) near5 header same ((based or according) near5(packet near S30 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:44
S49	11953	(create or add or attach) with header and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 12:46
S50	59	((create or add or attach) with (internal adj2 header)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:10
S52	0	((create or add or attach) with ((internal adj2 header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:11

S53	24	((create or add or attach) with ((header)) with (packet adj2 type)) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 13:11
S54	2011	((creat$3 or add$3 or attach$3) with header) with (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:07
S55	439	((creat$3 or add$3 or attach$3) with header) with (packet near S30 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 14:47
S57	82	((creat$3 or add$3 or attach$3) with header) with (packet near3 type) and (@ad<="20020917" or @rlad<="20020917") and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 15:02
S58	167	((creat$3 or add$3 or attach$3) with header) with (packet near3 type) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:28
S59	724	header adj2 generator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:28
S60	565	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:29
S61	257	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:29
S62	110	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3 and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:32
S63	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and rout $3 and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:32
S64	0	(internal adj2 header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:33

S65	155	(header adj2 generator) and (@ad<="20020917" or @rlad<="20020917") and discard$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:36
S66	1	((header adj2 generator) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:37
S67	2067	(header with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:38
S68	1423	(header with discard$3)and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:38
S69	7	((internal adj2 header) with discard$3)and (@ad<="20020917" or @rlad<="20020917") and rout $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:43
S70	7	((internal adj2 header) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:45
S71	10	((added adj2 header) with discard$3)and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/26 16:46
S72	6	"090285".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/27 08:25
S73	2	"6628653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/03 10:07

S74	19	(US-20060209840-$ or US-20040039986-$ or US-20020012348-$ or US-20010028650-$ or US-20040185889-$ or US-20030002438-$ or US-20020009079-$ or US-20060114924-$ or US-20030002506-$ or US-20040228274-$ or US-20030081546-$ or US-20020073215-$ or US-20020141403-$ or US-20060251048-$ or US-20050190713-$ or US-20040052260-$).did. or (US-6865185-$ or US-7177276-$ or US-6628653-$).did.	US-PGPUB; USPAT	OR	ON	2007/10/03 10:09
S75	11	S74 and packet adj type	US-PGPUB; USPAT	OR	ON	2007/10/03 10:30
S76	8	packet adj type with (prescribed fixed) adj2 position	US-PGPUB; USPAT	OR	ON	2007/10/03 10:30
S77	20	(US-20060209840-$ or US-20040039986-$ or US-20020012348-$ or US-20010028650-$ or US-20040185889-$ or US-20030002438-$ or US-20020009079-$ or US-20060114924-$ or US-20030002506-$ or US-20040228274-$ or US-20030081546-$ or US-20020073215-$ or US-20020141403-$ or US-20060251048-$ or US-20050190713-$ or US-20040052260-$ or US-20050086353-$).did. or (US-6865185-$ or US-7177276-$ or US-6628653-$).did.	US-PGPUB; USPAT	OR	ON	2008/05/07 09:30
S78	14	S77 and packet near3 (length size)	US-PGPUB; USPAT	OR	ON	2008/05/07 09:30
S79	1756	(packet adj type) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 10:29
S80	20	(packet adj type) with field with (look$3 search$3 idntify$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 10:30

S82	11	S80 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 10:31
S85	39	(identif$6 search$3 look$3) with (packet adj2 type) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:00
S86	142	(packet adj2 type) with (IPv6 or IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:15
S87	57	S86 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:15
S88	2559	(identif$6 search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 11:29
S89	2	(continu$3) with (search$3 look $3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:43
S90	2	(continu$3 loop$3) with (search $3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:44
S91	3	(continu$3 loop$3 keep$3) with (search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:45
S92	181	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:48
S93	0	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with (different another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:53
S94	6	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with (different another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:53

S95	4	(continu$3 loop$3 keep$3 look $3) with (search$3 look$3) with (packet adj2 type) with tag$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:57
S96	2140	(search$3 look$3) with first near3 (field position) with (second another)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 12:59
S97	19	S96 and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:00
S98	159	S96 and ("370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:11
S99	117	S98 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:11
S100	722	(tagged untagged) and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:25
S101	276	S88 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:25
S102	233	S101 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:26
S103	178	S102 and ("370" "709").clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:26
S104	6	(search$3 look$3) with (packet adj2 type) with (first second another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:32
S105	11721	(search$3 look$3) with (one first second another) with field	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:36

S106	0	(search$3 look$3) with (one first second another) with field with "not" with found	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:37
S107	504	(search$3 look$3) with (one first second another) with field with found	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:37
S108	364	S107 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:37
S109	59	S108 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:46
S110	2	S108 and (packet adj type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 13:55
S111	28	(identif$6 search$3 look$3) with (packet adj2 type) with (IPv6 and IPv4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:05
S112	4	S111 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:05
S113	3	(packet adj2 type) with (tagged and untagged)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:11
S114	27	(search$3 look$3) with (one first second another) with (field position) with found with type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:31
S115	12	S114 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:32
S116	97811	"not" near3 found with (look$3 search$3) with another (position field) with (continue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:37

S117	0	("not" near3 found)with (look $3 search$3) with another with (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:38
S118	0	("not" near3 type)with (look$3 search$3) with another with (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:38
S119	0	("not" near3 type) with (look$3 search$3) with another with (position field) with (contnue keep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:38
S120	0	type with (look$3 search$3) with another with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:39
S121	18	type with (look$3 search$3) with (another other) with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:39
S122	9	parameter with (look$3 search $3) with (another other) with (position field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:41
S123	1397	(determin$3) with packet adj type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:42
S124	895	S123 and ((@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:43
S126	422	S124 and (ANOTHER DIFFERENT second) with (field position byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:46
S127	47	S126 and different adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 14:57
S128	0	"2000610071028".did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/07 17:31

S129	1	(tabu near3 toshiyuki).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/08 12:48
S130	998	(IPv4 IPv6).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:25
S131	294	S130 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:25
S132	49	((IPv4 IPv6) and tag$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:27
S133	14	S132 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:28
S134	1	tagged adj (IPv4 IPv6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:32
S135	0	(tagged adj (IPv4 IPv6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:33
S136	25	(tag with (IPv4 IPv6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:33
S137	6	S136 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 09:33
S138	7	(packet with identif$7 with (portion field) with (tag$4) with (ipv4) with (ipv6)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:24
S139	0	S138 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:24

S140	189	((tag$5) with packet with (field position)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:26
S141	7	S138 and S140	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:26
S142	0	S141 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:26
S143	0	((tag$5) with packet with (field position) with lentgth).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:28
S146	79	(identifi$6) with rout$3 with (ipv4 and ipv6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:31
S147	36	S146 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 10:31
S148	15	((tag$5 untag$5) with (ipv4 and ipv6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 11:02
S149	3	S148 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 11:03
S150	20	((tag$5 untag$5) with (ipv4 ipv6) with length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 11:03
S151	5	S150 and (@ad<="20020917" or @rlad<="20020917")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 11:03
S152	69	((tag$5 untag$5) same (ipv4 ipv6) same length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/18 11:06

| S153 | 24 | S152 and (@ad<="20020917" or @rlad<="20020917") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/18 11:06 |

12/18/2008 2:07:13 PM
C:\ Documents and Settings\ gvianadiprisco\ My Documents\ EAST\ Workspaces\ 10656260.wsp